

Bydgoszcz, Poland

HOME > KATEGORIE > COMPLETED PROJECTS > BYDGOSZCZ, POLAND

Control switchgear for a 450MVA power transformer. Since 2015, more than 30 control cabinets have been manufactured and prefabricated for one of the electricity transmission system operators with the following transformer capacities: 275MVA, 330MVA, 450MVA, 550MVA.

Supply voltage: 400/230V AC

Control voltage: 24V DC

Rated current: 63A

Protection class: IP66 enclosure

Corrosion protection: C4

IMPLEMENTATION DATE: APRIL 2019

Switchboard:

Dimensions:1800mm x 2000mm x 500mm

Type:SZS-OH – large-size housing made of stainless steel, IP66. The dimensions of the switchgear housing were adjusted to the individual customer needs.

Color:RAL7038_GS

Manufacturer:Radiolex

124-051.013 – **SZS-OH 1800*2000*500** – Switchgear housing – manufacturer Radiolex

ABB equipment used:

1SAM250000R1005 – **MS116-1.0** –Motor switch 3P 0.25kW 0.63-1A

1SAM250000R1009 – **MS116-6,3** –Motor switch 3P 0.75kW 1.6-2.5A

1SBH137001R1322 - **NF22E-13** -Contactor 2NO/2NC 6A 230 V AC/DC

1SBL141001R8010 - **A 9-30-10 220** -Contactor 3P 4kW 230V AC

1SBN010040R1131 - **CA5-31 M** -Auxiliary contact block 3NO 1NC

1SVR405611R1100 - **CR-M024DC2L** -Power relay 24V DC 12A

1SVR405613R3100 - **CR-M230AC4L** -Power relay 230V AC 6A

1SVR550107R4100 - **T-ERE 0.3-30s** -Time relay 0.3-30s AC/DC

1SVR630794R3300 -**CM-PVS** -3-phase voltage monitoring relay, 2NO/2NC contacts

2CCE110800R0101 - **E221-11** -Maneuver switch 1NO 1NC

Stego equipment used:

01140.0-00 - **KTO011** - Thermostat 1NC, 0 to +60°C

01141.0-00 - **KTS011** - Thermostat 1NO, 0 to +60°C

01220.0-00 - **MFR012** - Mechanical hygrostat, 35-95% humidity

01801.0-00 - **FF018** - Fan with filter

02811.0-00 - **CSL028** - Solid-state blower 250W

14007.0-00 - **HG140** - Semiconductor heater AC/DC 110-250V, 100W

Apparatus from other manufacturers used:

4G10-69-U -**4G10-69-U** -Cam switch 1-2 4P 10A manufactured by Apator

4G63-76-PK -**4G63-76-PK** -Cam switch 3P 63A manufactured by Apator

24V 0.8A - **24V, 0.8A** -Switching power supply 20W manufactured by Comatec

P18-1000 - **P18** -Temperature and humidity sensor manufactured by Lumel

SCT-0750-005 - **5A - 0.333V** - Current transformer 5A 50-400Hz manufactured by Magnelab

MDR-20-24 - **24V, 1A** - Switching power supply 24W manufactured by Mean Well

GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI



PRZYKŁADOWA REALIZACJA
EXEMPLARY OF IMPLEMENTATION

Radiolex



PRZYKŁADOWA REALIZACJA
EXEMPLARY OF IMPLEMENTATION

Radiolex



PRZYKŁADOWA REALIZACJA
EXEMPLARY OF IMPLEMENTATION

Radiolex



PRZYKŁADOWA REALIZACJA
EXEMPLARY OF IMPLEMENTATION

Radiolex



PRZYKŁADOWA REALIZACJA
EXEMPLARY OF IMPLEMENTATION

Radiolex

