

## Heater - special design Ex CREX 020 (T4)


HOME > CATEGORIES > HEATERS AND THERMOSTATS EX > ATEX ZONE > HEATER - SPECIAL DESIGN EX CREX 020 (T4)

Compact convection heater of temperature class T4 (135 °C max.) for explosion hazard zones. Prevents condensate formation, temperature changes and freezing. Applied in casings of measurement transducers and cubicles.

### CREX 020

- For explosion hazard zones
- Large surface of heat convection
- Installation on a rail or using bolts
- Ready for connection
- Maintenance-free
- Temperature class T4

### GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI



### DOCUMENTS

 CATALOGUE CARD [Kliknij aby pobrać](#)

**No. Description****Catalogue No.**

1	Heater EX type CREx 020 AC 230V, 50W, temp. class T4, installed using clips	5.02041.0-00
2	Heater EX type CREx 020 AC 230V, 50W, temp. class T4, installed using bolts	5.02041.0-10
3	Heater EX type CREx 020 AC 230V, 100W, temp. class T4, installed using bolts	5.02042.0-00
4	Heater EX type CREx 020 AC 120V, 50W, temp. class T4, installed using clips	5.02042.0-10
5	Heater EX type CREx 020 AC 120V, 50W, temp. class T4, installed using bolts	5.02043.0-10
6	Heater EX type CREx 020 AC 120V, 100W, temp. class T4, installed using bolts	5.02044.0-10

