



Locks - suitable for RSA, SZA and PS enclosures.

HOME > KATEGORIE > CLOSING SYSTEMS > LOCKS - SUITABLE FOR RSA, SZA AND PS ENCLOSURES.

As a standard in enclosures of RSA, SZA and PS type D5 cam locks are mounted. You can also install locks with the other shape of the tip or other patent locks. All locks are suitable for the COMBI cut out (see figure below) used in the RSA, SZA and PS.

GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI





Lp.	Description	Catalogue No.
1	M22-D5-21-Ni Standard D5, nickel-plated, metal cam lock	911-001
2	M-22-T9-21-Ni Triangle T9, nickel-plated, metal cam lock	911-002
3	M22-1333-21-Cr Patent code 1333, chromed, metal cam lock	911-003
4	M22-1333-21-9005 Patent code 1333, black, metal cam lock	911-004
5	PM18.002-21-9005 Patent code 1333, black, metal, thumb turn cam lock	911-005
6	PM18.002-21-Cr Patent code 1333, chromed, metal, thumb turn cam lock	911-006
7	PM 18.006-21-9005 Keyless, black, metal, thumb turn cam lock	911-007
8	PM18.006-21-Cr Keyless, chromed, metal, thumb turn cam lock	911-008
9	M22-D5-21-OH Standard D5, stainless steel, metal cam lock	911-000

