

MBC MPB – Side support

HOME > KATEGORIE > CONTROL CONSOLES > MBC-MPB – SIDE SUPPORT

MBC-MPB - Optional accessory to complement console sets. Available in two setting versions: left and right. The leading colour is RAL7015.

Type	Corrosivity class	Material	Coating
MBC-MPB	C2	sheet steel	RAL7015
MBC-MPB-OH	C4	stainless steel 1.4301 (AISI 304)	RAL7015
MBC-MPB-KO	C5	stainless steel 1.4404 (AISI 316L)	RAL7015

GENERAL INFORMATION:

- Tightness according to IP code: 20
- Impact resistance according to IK code: 10
- Operating temperature range: -20 to +80 °C

TYPES OF SETTING TYPES:

- MBC-MPB-L – Side support. left
- MBC-MPB-P – Side support. rights

BASIC DATA:

- Construction: welded

ADDITIONAL OPTIONS:

- Various color options for highlights
- **EMC**
version
- Increased tightness to **IP 66**
- Increase in operating temperature in the range from **-50** to **+120 °C**
- Atypical dimensions
- Painting in any color according to the RAL palette

GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI



MBC-MPB-L - Side support. left

Lp.	Dimensions (W × H × D, mm)	Catalogue number	Order number	Order number
		MBC-MPB-L	MBC-MPB-L-OH	MBC-MPB-L-KO
1	397 × 291 × 500	707-001	707-101	707-201

MBC-MPB-P - Side support. right.

Lp.	Dimensions (W × H × D, mm)	Catalogue number	Catalogue number	Order number
		MBC-MPB-P	MBC-MPB-P-OH	MBC-MPB-P-KO
1	397 × 291 × 500	707-002	707-102	707-202