

MBC PO - Desktop

HOME > KATEGORIE > CONTROL CONSOLES > MBC-PO - DESKTOP

MBC-PO - A module that attaches to the screen panel for the installation of a keyboard, buttons or indicators. The desktop comes in two depth versions and eight versions for free-standing or baying. The leading colour of the desktop is RAL7015. The desktop can be supplied with a handrail with highlights in the chosen highlight colour.

Type	Corrosivity class	Material	Coating
MBC-PO	C2	sheet steel	RAL7015
MBC-PO-OH	C4	stainless steel 1.4301 (AISI 304)	RAL7015
MBC-PO-KO	C5	stainless steel 1.4404 (AISI 316L)	RAL7015

GENERAL INFORMATION:

- Tightness according to IP code: 20
- Impact resistance according to IK code: 10
- Operating temperature range: -20 to +80 °C

DEPTH TYPES:

- Tiles - 342 mm
- Deep - 455 mm

TYPES OF SETTING TYPES:

- MBC-PO-P - Desktop board, cover depth 342 mm
- MBC-PO-G - Deep desktop, cover depth 455 mm
- MBC-PO-P-L - Desktop plate, cover depth 342 mm, wedge angle 30 degrees
- MBC-PO-G-L - Deep desktop, cover depth 455 mm, wedge angle 30 degrees
- MBC-PO-P-LL - Desktop plate, cover depth 342 mm, wedge angle 45 degrees
- MBC-PO-G-LL - Deep desktop, cover depth 455 mm, wedge angle 45 degrees
- MBC-PO-P-LZ - Desktop plate, cover depth 342 mm, end wedge angle 18 degrees
- MBC-PO-G-LZ - Deep desktop, cover depth 455 mm, end wedge angle 18 degrees

BASIC DATA:

- Construction: welded
- Cable entry: open space when connecting to the Screen Panel
- Grounding: There are threaded grounding studs in the cover and base body


ADDITIONAL OPTIONS:

- Handrail with different highlighting colors
- Installation on vibration isolators
- **EMC**

version

- Increased tightness to **IP 66**
- Increase in operating temperature in the range from **-50** to **+120 °C**
- Atypical dimensions
- Painting in any color according to the RAL palette

GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI



MBC-PO-P - Shallow pedestal, depth of cover 342 mm

Lp.	Dimensions (W x H x D, mm)	Catalogue number		
		MBC-PO-P	MBC-PO-P-OH	MBC-PO-P-KO
1	600 x 194 x 430	705-001	705-101	705-201
2	800 x 194 x 430	705-002	705-102	705-202
3	1000 x 194 x 430	705-003	705-103	705-203
4	1200 x 194 x 430	705-004	705-104	705-204
5	1400 x 194 x 430	705-005	705-105	705-205

MBC-PO-G - Deep pedestal, depth of cover 455 mm

Lp.	Dimensions (W x H x D, mm)	Catalogue number		
		MBC-PO-G	MBC-PO-G-OH	MBC-PO-G-KO
1	600 x 194 x 543	705-006	705-106	705-206
2	800 x 194 x 543	705-007	705-107	705-207
3	1000 x 194 x 543	705-008	705-108	705-208
4	1200 x 194 x 543	705-009	705-109	705-209
5	1400 x 194 x 543	705-010	705-110	705-210