

Recessed enclosure - RWX IP 32

HOME > CATEGORIES > RECESSED ENCLOSURE - RWX IP 32

RWX – is an enclosure designed for installation of electrotechnical equipment in the form of modular devices or electricity meters. The standard offer includes empty, modular or meter enclosures in wall-mounted or standing versions. Tables with catalogue numbers are available on the following pages of the catalogue.

Type	Corrosivity category	Material / additional description	Coating
RWX-P	C2	steel sheet / empty enclosure	RAL7035
RWX-M	C2	steel sheet / modular enclosure	RAL7035
RWX-L	C2	steel sheet / meter enclosure	RAL7035

GENERAL INFORMATION:

- Ingress protection according to IP code: 32
- Impact resistance according to IK code: 10
- Operating temperature range: –30 – +80°C

BASIC DATA:

- Body: monobloc type, welded; without rear panel
- Closure: hinged door with 105° opening angle; the possibility of independent change of the door opening direction; in wall-mounted version two D5 locks, in standing version the lock in the form of a handle with the possibility of mounting a latch insert with a key
- Cable entry: there is a gland plate in the bottom, its dimensions depend on the width of the enclosure
- Grounding: threaded grounding studs in the door and enclosure body

ADDITIONAL OPTIONS:

- Unusual dimensions and internal configuration
- Painting to any color according to the RAL palette

GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI



RWX-M WISZACE

WYSOKOŚĆ	300	400	600	800	1000
400	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
600	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
800	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
1000	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
1200	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
1400	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U

RWX-M STOUJCE

WYSOKOŚĆ	300	400	600	800	1000
400	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
600	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
800	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
1000	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
1200	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
1400	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U

RWX-L WISZACE

WYSOKOŚĆ	300	400	600	800	1000
400	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
600	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
800	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
1000	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
1200	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
1400	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U

RWX-L STOUJCE

WYSOKOŚĆ	300	400	600	800	1000
400	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
600	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
800	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
1000	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
1200	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U
1400	1x 1U	1x 1U	1x 1U	1x 1U	1x 1U

DATA SHEET

DOCUMENTS



Declaration of compliance for Radiolex products [Kliknij aby pobrać](#)

The following table presents wall-mounted enclosures

No.	Dimensions (width x height x depth, mm)	Catalogue No. RWX-P	Catalogue No. RWX-M	Catalogue No. RWX-L
1	350 × 400 × 150	200-001	201-001	-
2	350 × 400 × 250	200-002	201-002	-
3	350 × 600× 150	200-003	201-003	-
4	350 × 800 × 250	200-004	201-004	-
5	350 × 880 × 250	200-005	201-005	-
6	550 × 400 × 150	200-006	201-006	-
7	550 × 400 × 250	200-007	201-007	-
8	550 ×600 × 150	200-008	201-008	-
9	550 × 600× 250	200-008	201-009	-
10	550 × 800 × 150	200-010	201-010	-
11	550 × 800× 250	200-011	201-011	202-011
12	550 × 1000 × 150	200-012	201-012	-
13	550 × 1000 × 250	200-013	201-013	202-013
14	550 × 1000 × 300	200-014	201-014	202-014
15	550 × 1200 × 250	200-015	201-015	202-015
16	550 × 1200 × 300	200-016	201-016	202-016
17	550 × 1400 × 300	200-017	201-017	202-017
18	550 × 1400 × 300	200-018	201-018	202-018
19	750 × 800 × 250	200-019	201-019	-
20	750 × 800 × 250	200-020	201-020	202-020
21	750 × 800 × 300	200-021	201-021	202-021
22	750 × 1000 × 250	200-022	201-022	202-022
23	750 × 1000 × 300	200-023	201-023	202-023
24	750 × 1200 × 250	200-024	201-024	202-024
25	750 × 1200 × 300	200-025	201-025	202-025
26	750 × 1400 × 250	200-026	201-026	202-026
27	750 × 1400 × 300	200-027	201-027	202-027
28	950 × 1000 × 150	200-028	201-028	-
29	950 × 1000 × 250	200-029	201-029	202-029
30	950 × 1200 × 250	200-030	201-030	202-030
31	950 × 1200 × 250	200-031	201-031	202-031
32	950 × 1200 × 300	200-032	201-032	202-032
33	950 × 1400 × 250	200-033	201-033	202-033
34	950 × 1400 × 300	200-034	201-034	202-034
35	1150 × 1200 × 150	200-035	201-035	-
36	1150 × 1200 × 300	200-036	201-036	202-036
37	1150 × 1200 × 300	200-037	201-037	202-037
38	1150 × 1400 × 250	200-038	201-038	202-038
39	1150 × 1400 × 300	200-039	201-039	202-039

The following table presents standing enclosures.

No.	Dimensions (width x height x depth, mm)	Catalogue No. RWX-P	Catalogue No. RWX-M	Catalogue No. RWX-L
1	350 × 1600 × 250	200-040	201-040	202-040
2	350 × 1600 × 300	200-041	201-041	202-041
3	350 × 1800 × 250	200-042	201-042	202-042
4	350 × 1800 × 300	200-043	201-043	202-043
5	350 × 2000 × 250	200-044	201-044	202-044
6	350 × 2000 × 300	200-045	201-045	202-045
7	350 × 2000 × 400	200-046	201-046	202-046
8	550 × 1600 × 250	200-047	201-047	202-047
9	550 × 1600 × 300	200-048	201-048	202-048
10	550 × 1800 × 250	200-049	201-049	202-049
11	550 × 1800 × 300	200-050	201-050	202-050
12	550 × 1800 × 400	200-051	201-051	202-051
13	550 × 2000 × 250	200-052	201-052	202-042
14	550 × 2000 × 300	200-053	201-053	202-053
15	550 × 2000 × 400	200-054	201-054	202-054
16	750 × 1600 × 250	200-055	201-055	202-055
17	750 × 1600 × 300	200-056	201-056	202-056
18	750 × 1800 × 250	200-057	201-057	202-057
19	750 × 1800 × 300	200-058	201-058	202-058
20	750 × 1800 × 400	200-059	201-059	202-059
21	750× 2000 × 250	200-060	201-060	202-060
22	750 × 2000 × 300	200-061	201-061	202-061
23	750 × 2000 × 400	200-062	201-062	202-062
24	950 × 1600 × 250	200-063	201-063	202-063
25	950 × 1600 × 300	200-064	201-064	202-064
26	950 × 1800 × 250	200-065	201-065	202-065
27	950 × 1800 × 300	200-066	201-066	202-066
28	950 × 1800 × 400	200-067	201-067	202-067
29	950 × 2000 × 250	200-068	201-068	202-068
30	950 × 2000 × 300	200-069	201-069	202-069
31	950 × 2000 × 400	200-070	201-070	202-070
32	1150 × 1600 × 250	200-071	201-071	202-071
33	1150 × 1600 × 300	200-072	201-072	202-072
34	1150 × 1800 × 250	200-073	201-073	202-073
35	1150 × 1800 × 300	200-074	201-074	202-074
36	1150 × 1800 × 400	200-075	201-075	202-075
37	1150 × 2000× 250	200-076	201-076	202-076
38	1150 × 2000 × 300	200-077	201-077	202-077
39	1150 × 2000 × 400	200-078	201-078	202-078