

Small 19 inch enclosure with removable covers

- NU IP 20

HOME > KATEGORIE > SMALL 19-INCH ENCLOSURE WITH REMOVABLE COVERS - NU IP 20

NU – is a wall-mounted or standing enclosure with removable covers, used for assembly of small network systems in 19-inch spacing.

Type	Corrosivity category	Material	Coating
NU	C2	steel sheet	RAL7035

GENERAL INFORMATION:

- Ingress protection according to IP code: 20
- Impact resistance according to IK code: 10
- Operating temperature range: 0 – +80°C

BASIC DATA:

- Body: monobloc type, welded; with removable covers
- Closure: hinged door with 105° opening angle; the possibility of independent change of the door opening direction; enclosures up to 500 mm height have one 1333 patent lock whereas higher enclosures have two locks of the same type.

GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI



KARTA KATALOGOWA

DOKUMENTY



Declaration of compliance for Radiolex products [Kliknij aby pobrać](#)

The following table presents enclosures according to the description

Lp.	Wymiary (szer. x wys. x gł., mm)	Catalogue No. transparent door	Catalogue No. steel door
1	600 × 240 × 400 – 4U	413-001	414-001
2	600 × 320 × 400 – 6U	413-002	414-002
3	600 × 500 × 400 – 10U	413-003	414-003
4	600 × 600 × 400 – 12U	413-004	414-004
5	600 × 720 × 400 – 15U	413-005	414-005
6	600 × 850 × 400 – 18U	413-006	414-006
7	600 × 240 × 500 – 4U	413-007	414-007
8	600 × 320 × 500 – 6U	413-008	414-008
9	600 × 500 × 500 – 10U	413-009	414-009
10	600 × 600 × 500 – 12U	413-010	414-010
11	600 × 720 × 500 – 15U	413-011	414-011
12	600 × 850 × 500 – 18U	413-012	414-012
13	600 × 240 × 600 – 4U	413-013	414-013
14	600 × 320 × 600 – 6U	413-014	414-014
15	600 × 500 × 600 – 10U	413-015	414-015
16	600 × 600 × 600 – 12U	413-016	414-016
17	600 × 720 × 600 – 15U	413-017	414-017
18	600 × 850 × 600 – 18U	413-018	414-018

