

USTM_D75 - PREMIUM multipurpose assembly table with 0 75 degree tilt frame

HOME > KATEGORIE > PREMIUM ASSEMBLY TABLES > USTM_D75 - PREMIUM MULTIPURPOSE ASSEMBLY TABLE WITH 0-75
DEGREE TILT FRAME

Every installer, regardless of whether the assembly is carried out professionally or as an amateur, should have a solid assembly table that allows for good organization of the activities performed, while ensuring high ergonomics of work. The ideal solution will be to choose a universal assembly table in the premium version, which will work well in any workshop, even with a relatively small space. Our table meets all quality standards, making working at it not only comfortable, but above all very ergonomic.

What is the universality of the premium assembly table? This is mainly due to its mobile design and numerous possibilities of adjusting the size of the working surface, thanks to which it can be used without any problems in very different industries, sometimes even minimally related to each other.

The universal assembly table in the premium version has been designed to ensure high ergonomics of work, which is extremely important not only in terms of comfort of work, but also its quality and the effects obtained in this way. Working in unfavorable conditions can sometimes be hazardous to health, causing permanent or temporary ailments that prevent or seriously hamper further work.

Many types of mounting plates from all control cabinet manufacturers can be equipped on the assembly table.

DISTRIBUTOR:



TECHNICAL DATA:

• Folded operating frame - dimensions: 1000 x 1500 mm

• Operating frame unfolded – dimensions: 1500 x 2000 mm

• Working surface height: 750 - 1100 mm

• Table weight: 56 kg

Permissible horizontal load: 200 kgPermissible vertical load: 150 kg

• Operating frame tilt range: 0 – 75 degrees

• Possibility of mounting a roller set: Yes

• Possibility to disconnect the running base from the frame: Yes

• Additional side support: Yes


GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI











DOKUMENTY

Data sheet Kliknij aby pobrać

Lp. Description Catalogue no.

PREMIUM multipurpose assembly table with tilting frame in the range of 0-75 degrees USTM_D75