

HEATERS

HOME > KATEGORIE > VENTILATION, HEATING AND LIGHTING OF CABINETS > HEATERS

Due to fluctuating temperatures condensation can form in enclosures. This can lead to serious malfunctions or in the worst case to a component failure. Convection heaters protect against low temperatures, thus preventing the formation of condensation.

TYPES

- **HGK 047** – from 10 to 30 W, compact size, power efficient and safe in exploitation;
- **CSK 060** – 10 and 20 W, enclosed, protected against direct contact;
- **HG 140** – from 15 to 150 W, compact size, popular construction;
- **CS (F) 060** – from 50 to 150 W, enclosed – protected against direct touch, some models have built-in thermostat;
- **RC** – from 8 to 13 W, compact size, power efficient and safe in exploitation;
- **CREX** – 50 and 100 W, heater designed to work in hazardous areas.

GALERIA PRODUKTU WRAZ Z PRZYKŁADOWYMI REALIZACJAMI



DOKUMENTY



Declaration of Conformity [Kliknij aby pobrać](#)

Lp.	Description	Catalogue No.
1	HGK 047 AC/DC 120-240V, 10W	5.04700.0-00
2	HGK 047 AC/DC 120-240V, 20W	5.04701.0-00
3	HGK 047 AC/DC 120-240V, 30W	5.04702.0-00
4	CSK 060 AC/DC 120-240V, 10W, double insulated	5.06040.0-00
5	CSK 060 AC/DC 120-240V, 20W, double insulated	5.06030.0-00
6	HG 140 AC/DC 120-240V, 15W	5.14000.0-00
7	HG 140 AC/DC 120-240V, 30W	5.14001.0-00
8	HG 140 AC/DC 120-240V, 45W	5.14003.0-00
9	HG 140 AC/DC 120-240V, 60W	5.14005.0-00
10	HG 140 AC/DC 120-240V, 75W	5.14006.0-00
11	HG 140 AC/DC 120-240V, 100W	5.14007.0-00
12	HG 140 AC/DC 120-240V, 150W	5.14008.0-00
13	CS 060 AC/DC 120-240V, 50W, double insulated	5.06000.0-00
14	CS 060 AC/DC 120-240V, 100W, double insulated	5.06010.0-00
15	CS 060 AC/DC 120-240V, 150W, double insulated	5.06020.0-00
16	CSF 060 AC/DC 120-240V, 50W, 5/15°C	5.06001.0-00
17	CSF 060 AC/DC 120-240V, 50W, 15/25°C	5.06002.0-00
18	CSF 060 AC/DC 120-240V, 100W, 5/15°C	5.06011.0-00
19	CSF 060 AC/DC 120-240V, 100W, 15/25°C	5.06012.0-00
20	CSF 060 AC/DC 120-240V, 150W, 5/15°C	5.06021.0-00
21	CSF 060 AC/DC 120-240V, 150W, 15/25°C	5.06022.0-00
22	RC 016 AC/DC 120-240V, 8W	5.01602.0-00
23	RC 016 AC/DC 120-240V, 10W	5.01609.0-00
24	RC 016 AC/DC 120-240V, 13W	5.01610.0-00

